SPRINGER LINK Log in

≡ Menu

Q Search

Cart



Medicinal and Aromatic Plants of India Vol. 2 pp 107–123

Home > Medicinal and Aromatic Plants of India Vol. 2 > Chapter

Linum usitatissimum L.: Rich Storehouse of Pharmacologically Active Metabolites in Indian Traditional Medicine

Haram Sarfraz & Iffat Zareen Ahmad [™]

Chapter | First Online: 01 November 2023

39 Accesses

Part of the Medicinal and Aromatic Plants of the World book series (MAPW,volume 9)

Abstract

Indigenous traditional medicines in India use a lot of plant ingredients and their derivatives. *Linum usitatissimum* L. commonly known as 'Alsi' or 'Tisi', in India or 'Flax' in English, is one such pharmacologically rich plants.

Phytochemicals (e.g.: phenolic acids, lignans, and flavonoids) are found naturally in *Linum usitatissimum*. While scientific data support flaxseed eating, a sizable portion of the public remains uninformed of the advantages and potential uses. The present chapter summarizes the available information on the traditional uses of *Linum usitatissimum* L. and its pharmacologically active natural constituents.

Keywords

Linum usitatissimum	Flaxseed	Metabolites	Phenolics	Lignan
Health				

This is a preview of subscription content, log in via an institution.





Tax calculation will be finalised at checkout

Purchases are for personal use only Learn about institutional subscriptions

References

Adhikari PP, Paul SB (2018) History of Indian traditional medicine: a medical inheritance. History 11(1):421

An J, Hao D, Zhang Q, Chen B, Zhang R, Wang Y, Yang H (2016) Natural products for treatment of bone erosive diseases: the effects and mechanisms on inhibiting osteoclastogenesis and bone resorption. Int Immunopharmacol 36:118–131

Barber EJW (1991) Prehistoric textiles: the development of cloth in the Neolithic and bronze ages with special reference to the Aegean. Princeton University Press

Bloedon LT, Szapary PO (2004) Flaxseed and cardiovascular risk. Nut Rev 62(1):18–27

Borgmeyer JR, Smith CE, Huynh QK (1992) Isolation, characterization of a 25 kda antifungal protein from flax seeds. Biochem Biophysic Res Comm 187(1):480–487

Chung MWY, Lei B, Li-Chan ECY (2005) Isolation and structural characterization of the major protein fraction from NorMan flaxseed (*Linum usitatissimum* L.). Food Chem 90(1–2):271–279

Collins TFX, Sprando RL, Black TN, Olejnik N, Wiesenfeld PW, Babu US, Bryant M, Flynn TJ, Ruggles DI (2003) Effects of flaxseed and defatted flaxseed meal on reproduction and development in rats. Food Chem Toxic 41(6):819–834

Cook NC, Samman S (1996) Flavonoids chemistry, metabolism, cardioprotective effects, and dietary sources. J Nutr Biochem 7(2):66–76

Cullis CA (2007) Flax. In: Oilseeds. Springer, Berlin, Heidelberg, pp 275–295

Davis PH (1967) Linum L. In: Davis PH (ed) Flora of Turkey and the East Aegean Islands, vol 2. Edinburgh University Press, Edinburgh, pp 425–450

Evans WC (2009) Trease and Evans pharmacognosy. Saunders, Edinburgh; New York

FAO, UN Food and Agriculture Organization (1994) 1993 production yearbook. FAO, Rome

Fiuza MS, Gomes C, Teixeira LJ, Girao da Cruz MT, Cordeiro MNDS, Milhazes NB, Marques MPM (2004) Phenolic acid derivatives with potential anticancer properties-a structure activity relationship study. Bioorg Med Chem 12:3581–3589

Fraga CG (2005) Relevance, essentiality and toxicity of trace elements in human health. Mol Asp Med 26(4–5):235–244

Fu YB (2011) Genetic evidence for early flax domestication with capsular dehiscence. Genet Resour Crop Evol 58(8):1119–1128

Ganorkar PM, Jain RK (2013) Flaxseed – a nutritional punch. Int Food Res J 20(2)

Goldhaber SB (2003) Trace element risk assessment: essentiality vs. toxicity. Regul Toxicol Pharmacol 38(2):232–242

Goyal A, Sharma V, Upadhyay N, Gill S, Sihag M (2014) Flax and flaxseed oil: an ancient medicine & modern functional food. J Food Sci Tech 51:1633–1653

Gutte KB, Sahoo AK, Ranveer RC (2015) Bioactive components of flaxseed and its health benefits. Int J Pharm Sci Rev Res 31(1):42–51

Hambidge KM, Miller LV, Westcott JE, Krebs NF (2008) Dietary reference intakes for zinc may require adjustment for phytate intake based upon model predictions. J Nutr 138(12):2363–2366

Heitman E, Ingram DK (2017) Cognitive and neuroprotective effects of chlorogenic acid. Nutr Neurosci 20(1):32–39

Javouhey-Donzel A, Guenot L, Maupoil V, Rochette L, Rocquelin G (1993) Rat vitamin e status and heart lipid peroxidation: effect of dietary α -linolenic acid and marine ω -3 fatty acids. Lipids 28(7):651–655

Kezimana P, Dmitriev AA, Kudryavtseva AV, Romanova EV, Melnikova NV (2018) Secoisolariciresinol diglucoside of flaxseed and its metabolites: biosynthesis and potential for nutraceuticals. Front Genet 9:641

Khan ZJ, Khan NA, Naseem I, Nami SA (2017) Therapeutics, phytochemistry and pharmacology of Tukhm-e-Katan (*Linum usitatissimum* L.). Int J Adv Pharm Med Bioallied Sci 111

Klotzbach-Shimomura K (2001) Functional foods: the role of physiologically active compounds in relation to disease. Top Clin Nutr 16(2):68–78

Kole C, Hall TC (2008) Compendium of transgenic crop plants. Wiley

Kris-Etherton PM, Hecker KD, Bonanome A, Coval SM, Binkoski AE, Hilpert KF, Griel AE, Etherton TD (2002) Bioactive compounds in foods: their role in the prevention of cardiovascular disease and cancer. Am J Med 113(9):71–88

Li JWH, Vederas JC (2009) Drug discovery and natural products: end of an era or an endless frontier? Science 325(5937):161–165

Marchenkov A, Rozhmina T (2003) Cultivation of flax. In: Flax. CRC Press, pp 86–103

Martinchik A, Baturin V, Zubtsov V, Vlu M (2012) Nutritional value and functional properties of flaxseed. Vopr Pitan 81(3):4–10

Maurya AC, Raghuveer M, Goswami G, Kumar S (2017) Influences of date of sowing on yield attributes and yield of linseed (*Linum usitatissimum* L.) varieties under dryland condition in eastern Uttar Pradesh. Int J Curr Microbiol App Sci 6(7):481–487

Mazza G (1998) Functional foods: biochemical and processing aspects, vol 1. CRC Press

Morris DH (2004) Flax – a health and nutrition primer. https://www.flaxcouncil.ca/. Last Accessed January 2022 Oliveira Silva E, Batista R (2017) Ferulic acid and naturally occurring compounds bearing a feruloyl moiety: a review on their structures, occurrence, and potential health benefits. Comp Rev Food Sci Food Safety 16(4):580–616

Oomah BD, Kenaschuk EO, Mazza G (1995) Phenolic acids in flaxseed. J Agri Food Chem 43(8):2016–2019

Oomah BD, Der TJ, Godfrey DV (2006) Thermal characteristics of flaxseed (*Linum usitatissimum* L.) proteins. Food Chem 98(4):733–741

Özcan MM, Değerli Z (2019) Effect on human health and bioactive components of linseed. Пищевая промышленность: наука и технологии 12(3):85–92

Raghuwanshi V, Agrawal R, Mane K (2019) Flaxseed as a functional food: a review. J Pharmacogn Phytochem 8:352–354

Rickard SE, Yuan YV, Chen J, Thompson LU (1999) Dose effects of flaxseed and its lignan on N-methyl-N-nitrosourea-induced mammary tumorigenesis in rats. Nutr Cancer 35(1):50–57

Rodriguez-Leyva D, Bassett CM, McCullough R, Pierce GN (2010) The cardiovascular effects of flaxseed and its omega-3 fatty acid, alpha-linolenic acid. Can J Cardiol 26(9):489–496

Rubilar M, Gutiérrez C, Verdugo M, Shene C, Sineiro J (2010) Flaxseed as a source of functional ingredients. J Soil Sci Plant Nutr 10(3):373–377

Simopoulos AP (1996) Flax the next decade. Conf Proceed:5-28

Singh MP, Panda H (2005) Medicinal herbs with their formulations. Daya Books

Stojković D, Petrović J, Soković M, Glamočlija J, Kukić-Marković J, Petrović S (2013) In situ antioxidant and antimicrobial activities of naturally occurring caffeic acid, p-coumaric acid and rutin, using food systems. J Sci Food Agric 93(13):3205–3208

1/15/24, 12:38 PM

Wanasundara PKJPD, Shahidi F (1997) Removal of flaxseed mucilage by chemical and enzymatic treatments. Food Chem 59(1):47–55

Wang H, Wang J, Qiu C, Ye Y, Guo X, Chen G, Li T, Wang Y, Fu X, Liu RH (2017) Comparison of phytochemical profiles and health benefits in fiber and oil flaxseeds (*Linum usitatissimum* L.). Food Chem 214:227–233

Westcott ND, Muir AD (1996) Variation in the concentration of the flax seed lignan concentration with variety, location and year. In: Proceedings of the 56th Flax Institute of the United States Conference, N.Dak, Fargo, pp 77–80

Wiesenfeld PW, Babu US, Collins TFX, Sprando R, O'Donnell MW, Flynn TJ, Black T, Olejnik N (2003) Flaxseed increased α -linolenic and eicosapentaenoic acid and decreased arachidonic acid in serum and tissues of rat dams and offspring. Food Chem Toxicol 41(6):841–855

Yang J, Liu RH (2013) The phenolic profiles and antioxidant activity in different types of tea. Int J Food Sci Technol 48(1):163–171

Yang DJ, Moh SH, Son DH, You S, Kinyua AW, Ko CM, Miyoung S, Jinhee Y, Yun-Hee C, Ki WK (2016) Gallic acid promotes wound healing in normal and hyperglucidic conditions. Molecules 21(7):899

Yang L, Gao Y, Bajpai VK, El-Kammar HA, Simal-Gandara J, Cao H, Cheng KW, Wang M, Arro RR, Zou L, Farag MA (2021) Advance toward isolation, extraction, metabolism and health benefits of kaempferol, a major dietary flavonoid with future perspectives. Crit Rev Food Sci Nutr:1–17

Yuksel F, Karaman S, Kayacier A (2014) Enrichment of wheat chips with omega-3 fatty acid by flaxseed addition: textural and some physicochemical properties. Food Chem 145:910–917

Zeven AC, Zhukovsky PM (1975) Cannabidaceae. Dictionary of cultivated plants and their centres of diversity. In: *O. quineense*, pp 62–63

Author information

Authors and Affiliations

Natural Products Laboratory, Department of Bioengineering, Integral University, Lucknow, Uttar Pradesh, India

Haram Sarfraz & Iffat Zareen Ahmad

Corresponding author

Correspondence to Iffat Zareen Ahmad.

Editor information

Editors and Affiliations

Department of Water- and Environmental Sciences, Albert Kázmér Faculty, Széchenyi István University, Mosonmagyaróvár, Hungary Ákos Máthé

Nawab Shah Alam Khan Centre for Post Graduate Studies and Research, Affiliated to Osmania University, Hyderabad, Telangana, India

Irfan Ali Khan

Rights and permissions

Reprints and permissions

Copyright information

About this chapter

Cite this chapter

Sarfraz, H., Ahmad, I.Z. (2023). *Linum usitatissimum* L.: Rich Storehouse of Pharmacologically Active Metabolites in Indian Traditional Medicine. In: Máthé, Á., Khan, I.A. (eds) Medicinal and Aromatic Plants of India Vol. 2. Medicinal and Aromatic Plants of the World, vol 9. Springer, Cham. https://doi.org/10.1007/978-3-031-44914-7_7

DOI	Published	Publisher Name
https://doi.org/10.1007/97	01 November 2023	Springer, Cham

8-3-031-44914-7_7

Print ISBN Online ISBN eBook Packages

978-3-031-44913-0 978-3-031-44914-7 <u>Biomedical and Life Sciences</u>

Biomedical and Life Sciences

<u>(R0)</u>

Publish with us

Policies and ethics

Ákos Máthé Irfan Ali Khan <u>Editors</u>

Medicinal and Aromatic Plants of India Vol. 2



Editors Ákos Máthé Department of Water and Environmental Sciences, Albert Kázmér Faculty Széchenyi István University Mosonmagyaróvár, Hungary

Irfan Ali Khan Nawab Shah Alam Khan Centre for Post Graduate Studies and Research Affiliated to Osmania University Hyderabad, Telangana, India

 \odot The Editor(s) (if applicable) and The Author(s), under exclusive license to Springer Nature Switzerland AG 2023

This work is subject to copyright. All rights are solely and exclusively licensed by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors, and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, expressed or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This Springer imprint is published by the registered company Springer Nature Switzerland AG The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

Paper in this product is recyclable.

Contents

1	Medicinal and Aromatic Plants in India: A Bridge from Traditions to Modern Wellbeing		
2	Holy Basil (Ocimum sanctum L.): An Important Indian Medicinal and Aromatic Plant: Its Properties, Utilization and Genetic Improvement	13	
	Vishnukiran Thuraga, Suhail Khan Mohammad, and J. Suresh		
3	Ethnomedicinal Importance of Common Weeds of the Family Asteraceae in the Tribal Belt of Rajasthan, India Supriya Kumari Sharma and Afroz Alam	37	
4	Cydonia oblonga Mill.: Wound Healing Properties	63	
5	Artemisia annua L.: Comprehensive Review of Pharmacological Properties	7 9	
6	Mesua ferrea L.: Ethnobotany, Phytochemistry and Pharmacology	93	
7	Linum usitatissimum L.: Rich Storehouse of Pharmacologically Active Metabolites in Indian Traditional Medicine	107	
8	Gymnema sylvestre R. Br.: Phytochemicals and Medicinal Properties Sharad Vats, Abhijit Dey, Nikkee Bhandari, Krishna Kumari,	125	
	and Chhavi Kaushal		

viii Contents

Medicinal and Aromatic Plants of India Used in the Treatment of Skin Disorders	153
Traditional Uses and Properties of Indian Medicinal Plants in the Treatment of Vitiligo	191
Indian Herbs with Hepato-Protectant Potentials	213
Selected Medicinal Plants for Treatment of Mucormycosis, in India	239
Selected Indian Medicinal and Aromatic Plants for Prophylactic Therapy Nupur Mehrotra, Sara Anees Khan, and Kaustubh Jadhav	253
Conservation Strategies for Indian Medicinal Plants	279
	Mohammed Abdul Rasheed Naikodi Traditional Uses and Properties of Indian Medicinal Plants in the Treatment of Vitiligo Mohd Kashif Husain, Goli Penchala Pratap, Mokhtar Alam, Ghazala Javed, Ahmed Minhajuddin, and Asim Ali Khan Indian Herbs with Hepato-Protectant Potentials Karishma Khan, Himanshu Dawda, and Usha Mukundan Selected Medicinal Plants for Treatment of Mucormycosis, in India Komal Lata, Priyanka, Ishan Sen, and Wamik Azmi Selected Indian Medicinal and Aromatic Plants for Prophylactic Therapy Nupur Mehrotra, Sara Anees Khan, and Kaustubh Jadhav Conservation Strategies for Indian Medicinal Plants Saidaiah Pidigam, Amarapalli Geetha, Someshwar Rao Pandravada, Suhail Khan, Vishnukiran Thuraga, Natarajan Sivaraj,